

AIR CONDITIONING DISCONNECTS

Reliable HVAC Electrical Solutions



Yueqing Daheng Electric Appliance Co., Ltd.

UL / cUL LISTED

OEM & PRIVATE LABEL

FACTORY DIRECT

Built for dependable HVAC supply partnerships



Focused manufacturing. Responsive partnership.

Founded in 2014, Daheng is a professional electrical manufacturer specializing in pull-out air conditioning disconnects for the North American market. We support distributors, importers, wholesalers and OEM customers with disciplined production, practical customization and consistent quality control.

OEM & PRIVATE LABEL

NORTH AMERICAN FOCUS

QUALITY CONTROL

CERTIFICATION AREA | UL / cUL documentation placeholder



PRODUCT INTRODUCTION

A practical disconnect platform for HVAC installations

APPLICATIONS



Residential HVAC

Outdoor service access



Commercial HVAC

Straightforward equipment isolation



Heat Pumps

Visible local disconnect



Pool Equipment

Application-dependent use



Visible Disconnect

Clear service position



FEATURES



NEMA 3R

Outdoor-rated enclosure



Padlock Provision

Supports service lockout



Multiple Knockouts

Flexible conduit entry



Copper Terminals

Designed for dependable connections



Easy Installation

Installer-friendly layout

PRODUCT TYPES

NON-FUSED DISCONNECT

A compact pull-out disconnect for applications where overcurrent protection is provided elsewhere.

FUSED DISCONNECT

Combines equipment isolation with field-selected fuse protection for application-specific requirements.

CERTIFICATIONS

UL LISTED

cUL LISTED


Pull-out air conditioning disconnects

PDS-60AN

EDITABLE PRODUCT CONFIGURATION

PRODUCT SPECIFICATIONS

Model	PDS-60AN
Current Rating	60A
Voltage	120/240V
Type	Non-Fused
Enclosure	Metal
Certification	UL




PDS-60AN1

EDITABLE PRODUCT CONFIGURATION

PRODUCT SPECIFICATIONS

Model	PDS-60AN1
Current Rating	60A
Voltage	120/240V
Type	Non-Fused
Enclosure	Metal
Certification	UL




Pull-out air conditioning disconnects

PDS-60A

EDITABLE PRODUCT CONFIGURATION

PRODUCT SPECIFICATIONS

Model	PDS-60A
Current Rating	60A
Voltage	120/240V
Type	Fused
Enclosure	Metal
Certification	UL




PDS-30A

EDITABLE PRODUCT CONFIGURATION

PRODUCT SPECIFICATIONS

Model	PDS-30A
Current Rating	30A
Voltage	120/240V
Type	Fused
Enclosure	Metal
Certification	UL



A manufacturing partner built around your program

ICON

OEM & PRIVATE LABEL

- ✓ Logo Embossing
- ✓ Laser Marking
- ✓ Custom Labels
- ✓ Packaging Design

Space reserved for future program details.

ICON

QUALITY CONTROL

- ✓ Coating Thickness Inspection
- ✓ Assembly Inspection
- ✓ Salt Spray Testing
- ✓ 100% Visual Inspection

Space reserved for future program details.

ICON

MANUFACTURING

- ✓ Stamping
- ✓ Assembly
- ✓ Quality Control
- ✓ Packaging

Space reserved for future program details.

ICON

CUSTOMER SUPPORT

- ✓ Fast Response
- ✓ OEM Experience
- ✓ Technical Support
- ✓ North American Market

Space reserved for future program details.

DAHENG

ELECTRIC

Let's build your next HVAC electrical program.


Yueqing Daheng Electric Appliance Co., Ltd.

WEBSITE

dahengelectric.com

EMAIL

sales@dahengelectric.com



Learn More

www.dahengelectric.com

Product configurations, ratings, certifications and availability are subject to confirmation at the time of quotation. Images and drawings shown in this catalog may be representative. Customers are responsible for verifying suitability for their specific application and applicable local codes.